

LOADED BOARDS

ETHOS

Skateboarding, snowboarding, and surfing have enriched our lives. Loaded's primary mission is to share that stoke and to do what we can to help them expand and evolve.

INDUSTRY

Our current priority is to grow the longboard community. We view all other longboard companies as friends and partners who are collectively growing skateboarding. We don't have any intention of fighting over market share but rather look to innovate and inspire to grow longboarding for the good of all.

DEALERS

The specialty skate/surf/snow shops and distributors are the heart and soul of board-riding culture. To that end, we work with the best partners worldwide and are committed to supporting these shops and distributors in order to ensure their long-term success.

COMMUNITY

Over the past 15+ years, longboarding has touched many people. The current community is vibrant, diverse, global, and inclusive. We are proud of this and committed to helping it flourish.



THE CARVING BOARD, REIMAGINED.

THE ICARUS

Loaded pioneered the flexible drop-through board with the Dervish in 2007 and the Tan Tien in 2010. We've returned to our carving roots using many of the things learned over the past few years from our freeride boards, downhill boards, and our snowboard (with design cues from bacon).

Combining functional and ergonomic wheel flares, vibration-damping cork, a balanced flex pattern, and novel manufacturing methods, the Icarus is a milestone in our exploration of the soulful carving experience.

SPECIFICATIONS

DOWNHILL / ••
CARVING / •••
FREESTYLE / •••
DANCING / •••
SLIDING / •••
PUMPING / •••
BOWLS / •

LENGTH: 38.4" / 97.5 cm WIDTH: 8.6" / 22 cm WHEELBASE: 28.25" / 71.76 cm

FLEX 1: 170-250+ lbs / 75-115+ kg FLEX 2: 75-200+ lbs / 35-90+ kg





FIND YOUR CENTER.

THE TAN TIEN

The Tan Tien blends carve-oriented longboarding with advanced trick riding. A flexible deck, drop-through truck mounts, and usable kicks allow the Tan Tien to pack a lot into a relatively small package. The complex contours create a super responsive board that allows for increased confidence when leaning into turns, popping tricks, and powering through slides. Lines are fluid. Directions are malleable. Featuring an updated graphic and new engineered wood bottom veneer for 2017.



DROP-THROUGH CARVING BLISS.

THE DERVISH SAMA

The Dervish Sama balances comfort, edge control, and responsiveness. Combined with more pronounced concave, the extra width enhances turn initiation and slide control. We added subtle nose and tail kicks to increase pop and lock your feet in for freestyle tricks. The neck and drop-through cutout were also updated for increased durability under hard riding conditions. A six-piece griptape pattern provides enhanced control at the kicks and facilitates comfortable footwork maneuvers on the standing platform without interfering with the board's flex pattern.

SPECIFICATIONS

DOWNHILL / •
CARVING / •••
FREESTYLE / •••
DANCING / •••
SLIDING / •••
PUMPING / ••
BOWLS / •

LENGTH: 42.8" / 109 cm WIDTH: 9" / 22.9 cm WHEELBASE: 31.5" / 80 cm

FLEX 1: 170-270+ lbs / 75-122+ kg FLEX 2: 100-185+ lbs / 45-84+ kg FLEX 3: 75-150+ LBS / 35-68+ KG



SNEAK PAST THE GUARDS. SHRED ALL THE GNARS.

THE COYOTE

Based on the overwhelming response to the Kut-thaka, we've re-imagined our classic single-kick shredder with a new maple construction while keeping the same ergonomics you've come to love. A beefy tail and compact nose provide agility and leverage for slides and tricks. Rocker profile and mild concave ensure a secure and comfortable stance. Flared wheel wells increase wheel clearance and create ergonomic reference points for your feet. A custom layup features thicker cross veneers for optimal stiffness, crisp pop, and a smooth ride. The Coyote is a lightweight, compact, locker friendly city slasher that's perfect for freeride, freestyle, and cruising the streets. Not to mention easy on the wallet. Howl at the moon!

SPECIFICATIONS

DOWNHILL / ••

CARVING / •••

FREESTYLE / •••


DANCING / •

SLIDING / •••

PUMPING / •••

BOWLS / ••••

LENGTH: 30.75" / 78.1 cm WIDTH: 8.375" / 21.3 cm WHEELBASE: 17.5" / 44.5 cm





FINELY CURATED FOR YOUR DISCRIMINATING TASTES.

THE OMAKASE

Originally designed around the Unlimited e-skate system, the Omakase stands on its own as a highly user-friendly analog board for cruising, commuting, freeride, and freestyle alike. The Omakase's generous width maintains a solid and stable feel even on such a compact deck length. A hefty kicktail generates pop, leverage, and control for freestyle tricks and surfy maneuvers. Rocker profile and mild concave ensure a comfortable and confidence-inspiring stance. Subtle wheel well flares increase wheel clearance and create ergonomic reference points for your feet. Two wheelbase options allow for customized board handling and accommodate standard and reverse-kingpin trucks.

SPECIFICATIONS

DOWNHILL / ••
CARVING / ••
FREESTYLE / •••
DANCING / ••
SLIDING / •••
PUMPING / •••
BOWLS / •••

LENGTH: 33.5" / 85.1 cm WIDTH: 10" / 25.4 cm

WHEELBASE: 20.75" and 22" / 52.7 and 55.8 cm



THE OMAKASE 2 GRAPHIC OPTIONS





ROE PALM

THE SPORK OF MODERN, ALL-TERRAIN SKATEBOARDING.

THE BASALT TESSERACT

The Basalt Tesseract integrates rocker, wheel well flares, W concave, and multiple wheelbase options into a lightweight package designed for hilly descents, snappy slides, lofty ollies, techy manual combos, and cross-steps galore. Updated more eco-conscious basalt construction for a lighter, damper, and more freestyle-friendly board. 4 color options.

SPECIFICATIONS

DOWNHILL / ••

CARVING / •••

FREESTYLE / ••••

DANCING / •••

SLIDING / •••

PUMPING / •••

BOWLS / ••

LENGTH: 39" / 99 cm WIDTH: 9.5" / 24 cm

WHEELBASE: 24.5" and 26" / 62.2 and 66 cm



3 COLOR OPTIONS







EMBRACE THE FOURTH DIMENSION.

THE CANTELLATED TESSERACT

The Cantellated Tesseract integrates rocker, wheel well flares, W concave, and multiple wheelbase options into a lightweight package designed for big mountain roads, high speeds, snappy slides, lofty ollies, and techy manual combos. It sports a single tail kick to meet your ollie-popping, tick-tacking, and manual-balancing needs. The Cantellated Tesseract's tail features a wider and fuller shape that promotes more frequent and emphatic use than its double-kick cousin.

SPECIFICATIONS

DOWNHILL / ••••
CARVING / ••
FREESTYLE / •••
DANCING / ••
SLIDING / •••
PUMPING / ••
BOWLS / ••

LENGTH: 36" / 91 cm WIDTH: 9.5" / 24 cm

WHEELBASE: 24.5" and 26" / 62.2 and 66 cm



LONG LIVE POKE.

THE POKE

The Poke features highly functional kicktails and a comfortable platform with concave, rocker, and subtle wheel well flares. This versatile urban explorer keeps up with your every whim and makes each outing a creative, dynamic adventure.

SPECIFICATIONS

DOWNHILL / •
CARVING / •••
FREESTYLE / ••••
DANCING / ••
SLIDING / •••
PUMPING / •••
BOWLS / ••

LENGTH: 34" / 86 cm WIDTH: 9.125" / 23.18 cm WHEELBASE: 20.75" / 52.71 cm



SHORT AND STUBBY IS BEAUTIFUL, TOO.

THE TRUNCATED TESSERACT

The Truncated Tesseract integrates rocker, wheel well flares, W concave, and multiple wheelbase options into a lightweight package designed for big mountain roads, high speeds, and snappy slides. It eschews superfluous appendages in favor of a more traditional and race-inspired shape while retaining all the performance-driven ergonomics and construction of its precursor.

SPECIFICATIONS

DOWNHILL / ••••
CARVING / ••
FREESTYLE / •
DANCING / •
SLIDING / •••
PUMPING / ••
BOWLS / •

LENGTH: 33" / 84 cm WIDTH: 9.5" / 24 cm

WHEELBASE: 24.5" and 26" / 62.2 and 66 cm





A LITTLE EXTRA GIRTH NEVER HURTS.

THE FATTAIL

The Fattail was designed for pumping, carving, pedestrian slalom, freestyle, and any situation where energetic lines are on the menu. Subtle concave locks your feet in against g-forces, while the topmounted and cambered platform provides lively performance in and out of every carve. The deck's shape offers ample leverage under both feet for aggressive maneuvering while maintaining a subtle taper near the trucks to provide awareness of foot position while powering through turns. It features a hefty kicktail for functionality in both freestyle tricks and surf-style shredding. The Fattail is also equipped with a slight nose kick for manuals

SPECIFICATIONS

DOWNHILL / •
CARVING / ••••
FREESTYLE / •••
DANCING / ••
SLIDING / •••
PUMPING / •••
BOWLS / ••

and shuvits.

LENGTH: 38" / 96.5 cm WIDTH: 8.63" / 22 cm

WHEELBASE: 26.5" and 27.4" / 67.3 and 69.6 cm

FLEX 1: 170-270+ lbs / 75-122+ kg FLEX 2: 125-215+ lbs / 55-95+ kg FLEX 3: 75-175+ lbs / 35-80+ kg



NO LIFT TICKET REQUIRED.

THE VANGUARD

The one that started it all. Symmetrical shape and stance encourage a balanced center of gravity and increase the ability to weight the deck through turns for better control and energy generation. The sidecuts allow for decreased torsional stiffness between the feet to allow for greater nuances in the turning radius.

SPECIFICATIONS

DOWNHILL / •

CARVING / ••••

FREESTYLE / •

DANCING / •••

SLIDING / ••

PUMPING / ••••

BOWLS / •

LENGTH: 42" and 38" / 107 and 98 cm

WIDTH: 8.5" / 22 cm

WHEELBASE: 35" and 31.5" / 88.9 and 80 cm

FLEX 1 (42" / 107 cm): 175-230+ lbs / 80-105+ kg FLEX 2 (42" / 107 cm): 150-210+ lbs / 68-95+ kg FLEX 3 (38" / 98 cm): 150-200+ lbs / 68-90+ kg FLEX 4 (38" / 98 cm): 120-170+ lbs / 55-77+ kg FLEX 5 (38" / 98 cm): 80-140+ lbs / 35-65+ kg



EVERYTHING IN MODERATION, INCLUDING MODERATION.

THE OVERLAND

The Overland is designed for the all-around rider seeking a happy medium between a shorter technical double kick and a downhill freeriding machine. Mild radial concave and subtle wheel well flares ensure a comfortable stance, while a beefy kicktail and steeper nose provide crisp pop and ample leverage for ollies, slides, manuals, and shuvits. The directional shape with tapered waist facilitates quick back-foot transitions from rail to rail and accentuates the rear wheel well flares, while a moderately stiff flex allows for responsive turning. Textured urethane on the bottom provides vibration damping, durable protection, and ultra-smooth rail slides. Two wheelbase options accommodate reverse-kingpin and standard trucks.

SPECIFICATIONS

DOWNHILL / •••
CARVING / ••
FREESTYLE / ••••
DANCING / ••
SLIDING / ••
PUMPING / ••
BOWLS / •••

LENGTH: 37" / 94 cm WIDTH: 9.5" / 24 cm

WHEELBASE: 20.75" and 22" / 22 and 56 cm



B(L)ACK WITH A FIERY VENGEANCE.

THE BLOOD SLAYER

The latest incarnation of the Chubby Unicorn, the Blood Slayer puts all our eggs in one basket. Rocker, W concave, functional wheel well flares, and nose and tail kicks create an ergonomic platform for downhill decadence and freestyle fun. CNC routed grab rails and recessed angled truck mounts shave weight, lower your center of gravity, and keep your steering geometry true. Urethane sidewalls and mounting holes, a basswood core, composite construction, and a UHMW base provide abrasion resistance, durability, moisture resistance, and vibration damping.

SPECIFICATIONS

DOWNHILL / ····
CARVING / ··
FREESTYLE / ···
DANCING / ···
SLIDING / ···
PUMPING / ·
BOWLS / ·

LENGTH: 42.25" / 107.3 cm WIDTH: 9.75" / 24.8 cm WHEELBASE: 28.25" / 71.8 cm



LET THE RHYTHM MOVE YOU.

THE TARAB


The Loaded Tarab is designed to push the boundaries of modern longboard dancing. The Tarab builds on over 10 years of Loaded's history in dancing and modern freestyle. Lightweight, durable, and technical, the Tarab incorporates a complex yet refined shape combined with innovative materials (basalt, urethane, bamboo, cork, and UHMW) to provide an advanced platform for flowy footwork and the most frenetic freestyle dancing.




YOUR MOBILE DANCE FLOOR, NEWLY RENOVATED.

THE BHANGRA V2

Designed for the fanciest of footwork, the Bhangra offers a spacious platform with plenty of room for all your dance moves yet is nimble enough for advanced freestyle tricks and steezy slides. Ideal for dancing/freestyle gurus and surf-style aficionados looking for a smooth and graceful riding experience.



ACCESSORIES



PUSHIN CUSHION

PORON® Performance foam sheet with super strong adhesive backing. Apply it directly to your longboard deck (under the griptape) to add a whole new dimension of tactile feedback, vibration damping, and ergonomic contouring. Also great for DIY padding and damping projects.

Size: 40" x 10" x .125" (100cm x 25cm x 3mm) sheet.



GLOVES

FREERIDE V.7

Non-articulated thumbs for less chance of drag, synthetic suede palms and ergonomic finger shapes for close and comfortable fit. Removable EVA foam wrist cushion. Breathable mesh top. Lined with Coolmax® wicking fabric. Reflective lining. Velcro palms, fingertips, and thumb. Chamfered UHMW palm and thumb pucks. High density finger pucks.



RACE

High quality goatskin leather. Carbon knuckle and finger protectors. Leather reinforcement. Non-articulated thumbs for less chance of drag. Breathable mesh top. Lined with Coolmax® wicking fabric. Reflective sections. Velcro palms, fingertips and thumbs. Ergonomic finger shapes. Chamfered UHMW palm and thumb pucks. High density finger pucks.



HARDWARE

BUTTON HEAD HARDWARE

These extremely strong steel flange head bolts feature an integrated washer to reduce the height of the bolt heads while still distributing pressure.

Available sizes: 1", 1.25", 1.5". Hex key included.



COUNTERSUNK HARDWARE

These extremely strong steel flat head bolts are ideal for freestyle and street oriented setups where unobstructed foot mobility over the entire deck is required.

Available sizes: 1" and 1.25". Hex key included.



JEHU V2 BEARINGS (JEHUNIONS)

Developed to withstand the rigors of performance longboarding. The new Loaded Jehunion Bearings (version 2 of our original Jehu bearings) feature extended inner raceways to eliminate the need for separate spacers and speed rings. Crank them all the way down and keep your setup tight.

Rubberized steel shields for durability and ease of maintenance. Interior step ring to maintain constant lubrication. Pink.



			KEY:	No riser needed	1/16" shock pad	1/8" riser	1/4" riser	3/8" riser	Bushing change	Not recommended					
_						172.0	9000								
Loànen		SETUP GUIDE	(0)		0	0		(0)	0	0		0	0	0	
DECK		TRUCK	85mm Caguama	80mm Kegel	75mm In Heat	75mm Durian	73mm The Cage	72.5mm Moronga	70mm 4President	70mm Stimulus	69mm The Kilmer	66mm The Keanu	65mm Fat Free	62mm Skiffs	58mm Onsens
BHANGRA		Paris 180mm, 50°	1/4"	1/8*	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
	,	Bear 181mm, 52°	1/4"	1/8*	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
		Caliber 10", 50°			1/4"	1/8"	1/8*	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
BLOOD SLAYER		Paris 180mm, 50°	1/4"	1/8*	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
		Paris 180mm, 43°	BC + 1/4"	BC + 1/4"	1/4"	1/8"	1/8*	1/8"	1/8"	1/8"	1/8"	1/16"	1/16"	1/16"	
		Bear 181mm, 52°	1/4"	1/8"	1/8"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
		Caliber 10", 50°	1/4"	1/8"	1/8"	1/8"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
		Caliber 10", 44°	1/8"	1/16"	1/4"	1/4"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
		Paris 165mm, 50° Paris 165mm, 43°	1/4"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
		Paris 165mm, 43	174	1/0	1/0	1/0	1/0	1/16	1/10	1/16	1/16	1/16	1/16	1/10	
COYOTE		Paris 150mm, 50°	1/2"	3/8"	1/4"	1/4"	1/4"	1/8"	1/8"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"
		Paris Street 149mm										3/8"	3/8"	1/8"	1/16"
		Paris Street 129mm + 7° wedge risers				None	None	None	None	None	None	None	None	None	None
		Carver CX.4 / C2.4	3/8"	1/4"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
DERVISH SAMA		Paris 180mm, 50°	BC + 1/16"	BC + 1/16*	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"		
		Bear 181mm, 52°	BC + 1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"		
FATTAIL		Paris 150mm, 50° (inner WB)	None	None	None	None	None	None	None	None	None	None	None	None	
		Paris 165mm, 50° (inner WB)	None	None	None	None	None	None	None	None	None	None	None	None	
		Paris 165mm, 43° (inner WB)	1/8"	1/16"	1/16"	1/16"	None	None	None	None	None	None	None	None	
		Paris 180mm, 50° (inner WB)	None	None	None	None	None	None	None	None	None	None	None	None	
		Bear 181mm, 52° (inner WB)	1/16"	None	None	None	None	None	None	None	None	None	None	None	
		Caliber 10", 50° (outer WB)		None	None	None	None	None	None	None	None	None	None	None	
ICARUS		Paris 180mm, 50°	BC + 1/16"	BC + 1/16*	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"		
		Bear 181mm, 52°	BC + 1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"		
KANTHAKA		Indy 149 (hard bushings)										1/4"	1/4"		
		Indy 159 (hard bushings)												1/4"	1/16"
	8.625"	Paris 150mm, 50°	1/4"						1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
		Carver CX.4 / C2.4	1/4"						1/16"	1/16"	1/16"	1/16"	1/16"		
		Indy 159 (hard bushings)										1/4"	1/4"		
		Indy 169 (hard bushings)												1/4"	1/16"
	8.875"	Paris 150mm, 50°	1/4"						1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
		Carver CX.4 / C2.4	1/4"						1/16"	1/16"	1/16"	1/16"	1/16"		
OMAKASE		Paris 180mm, 50° (outer WB)	BC + 1/4"	BC + 1/4"	1/4"	1/8"	1/8*	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
		Paris 180mm, 43° (outer WB)	3/8"	BC + 1/4"	BC + 1/4"	BC + 1/4"	1/8*	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
		Paris 165mm, 50° (outer WB)	BC + 1/4"	BC + 1/4"	1/4"	1/8"	1/8"	1/8"	1/8*	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"
		Paris 165mm, 43° (outer WB)	3/8"	BC + 1/4"	BC + 1/4"	BC + 1/4"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
		Paris Street 169mm (inner WB)		BC + 1/2"	BC + 3/8"	BC + 3/8*	BC + 3/8"	BC + 3/8"	BC + 1/4"	BC + 1/4"	BC + 1/4*	BC + 1/4"	BC + 1/4"	1/4"	1/8"
		Bear 181mm, 52° (outer WB)			3/8"	3/8"	1/4"	1/4"	1/8"	1/8"	1/8"	1/16"	1/16"	1/16*	1/16"
		Carver CX.4 / C2.4 (outer WB)	1/4"	1/4"	1/4"	1/4"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"

		KEY:	No riser needed	1/16" shock pad	1/8" riser	1/4" riser	3/8" riser	Bushing change	Not recommended					
Coageg	SETUP GUIDE	(0)	(0)	0	0		0	C	0		0	0	0	0
DECK	TRUCK	85mm Caguama	80mm Kegel	75mm In Heat	75mm Durian	73mm The Cage	72.5mm Moronga	70mm 4President	70mm Stimulus	69mm The Kilmer	66mm The Keanu	65mm Fat Free	62mm Skiffs	58mm Onsens
OVERLAND	Paris 180mm, 50° (outer WB)	1/4"	1/4"	1/4"	1/4"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
	Paris 180mm, 43° (outer WB)							1/4"	1/4"	1/4"	1/8"	1/8"	1/8"	1/16"
	Bear 181mm, 52° (outer WB)	1/4"	1/8"	1/8"	1/8"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
	Paris 165mm, 50° (inner WB)	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
	Paris 165mm, 43° (inner WB)			1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
	Caliber 10", 50° (outer WB)							1/4"	1/4"	1/4"	1/8"	1/8"	1/16"	1/16"
	Caliber 10", 44° (outer WB)							1/4"	1/4"	1/4"	1/8"	1/8"	1/16"	1/16"
	Independent 159 (inner WB)										1/4"	1/4"		
	Independent 169 (inner WB)												1/8"	1/8"
	Carver CX.4 / C2.4	3/8"	1/4"											
POKE	Paris 150mm, 50°	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
	Paris 165mm, 50°	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
Charles of the second	Paris 165mm, 43°	1/4"	1/8"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
	Paris 180mm, 50°	1/4"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"
	Carver CX.4 / C2.4	3/8"						1/16"	1/16"	1/16"	1/16"	1/16"		
TAN TIEN	Paris 180mm, 50°		BC + 1/16"	BC + 1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
TAN HEN	Bear 181mm, 52°		1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
	Caliber 10", 50°		1/10	1/10	1/10	1/10	1/10	1/10	1/16"	1/16"	1/16"	1/16"	1/16"	
	Paris 165mm, 50°								1/16"	1/16	1/16"	1/16"	1/16"	
	Paris resmin, su								1/10		1/16	1/16	1/16	
TARAB	Paris 180mm, 50° (inner WB)	1/8"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
	Bear 181mm, 52° (inner WB)	1/8"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
TESSERACT	Paris 180mm, 50° (inner WB)	1/4"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
BASALT / CANTELLATED / TRUNCATED	Paris 180mm, 43° (inner WB)	BC + 1/4"	BC + 1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/4"	1/8"	1/8"	1/8"	
	Bear 181mm, 52° (either WB)	1/4"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
	Caliber 10", 50° (outer WB)		1/8"	1/8"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
	Caliber 10", 44° (outer WB)			1/4"	1/4"	1/4"	1/4"	1/8"	1/8"	1/8"	1/16"	1/16"	1/16"	
	Paris 165mm, 50° (inner WB)	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
	Paris 165mm, 43° (inner WB)	1/4"	1/8"	1/8"	1/8"	1/8"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	1/16"	
VANGUARD	Paris 180mm, 50°	None	None	None	None	None	None	None	None	None	None	None		
Con to the contract of the con	Bear 181mm, 52°	1/8"	None	None	None	None	None	None	None	None	None	None		
	Caliber 10", 50°		1/8"	None	None	None	None	None	None	None	None	None		

Recommendations are based on an "average" rider weight of 150-200 lbs, stock bushings, and neutral kingpin tightness (no slop or excessive bushing preload).

Compatibility and wheel clearance may vary for heavier riders or looser truck settings. Always check for wheelbite and make any necessary adjustments before riding a new or modified setup.



LOADEDBOARDS.COM

Distributed By; **J & R Sports Limited**, Vesty Business Park, Aintree, Merseyside, L30 1NY, UK

Tel: +44 151 523 0500 eMail: info@jandrsports.co.uk

B2C: trade.jandrsports.co.uk